

## **Módulo 8: Las horas finales**

### **Referencias Principales**

- Berry, P., & Griffie, J. (2006). Planning for the actual death. In B.R. Ferrell, & N. Coyle (Eds.), *Textbook of palliative nursing* (2<sup>nd</sup> ed., pp. 561-577). New York, NY: Oxford University Press.
- Brender, E., Burke, A., & Glass, R.M. (2005) Journal of the American Medical Association (JAMA) patient page. Palliative sedation. [Patient Education Handout]. *Journal of the American Medical Association*, 29(14), 1850.
- Byock, I. (1997). *Dying well: The prospects for growth at the end-of-life*. New York, NY: Riverhead Books.
- Davies, B. (2006). Supporting families in palliative care. In B.R. Ferrell, & N. Coyle (Eds.), *Textbook of palliative nursing* (2<sup>nd</sup> ed., pp. 545-558). New York, NY: Oxford University Press.
- deGraeff, A. & Dean, M. (2007). Palliative sedation therapy in the last weeks of life: A literature review and recommendations for standards. *Journal of Palliative Medicine*, 10(1), 67-85.
- Emanuel, L.L., von Gunten, C.F., & Ferris, F.D. (Eds.). (1999). *The EPEC curriculum: Education for physicians on end-of-life care*. The EPEC Project. Retrieved on February 19, 2007 from: <http://www.epeconline.net/EPEC/Webpages/ph.cfm>
- Ersek, M. (2003). Artificial nutrition and hydration. *Journal of Hospice and Palliative Nursing*, 5(4), 221-230.
- Fine, P. (2001). Total sedation in end-of-life care: Clinical considerations. *Journal of Hospice and Palliative Nursing*, 3(3), 81-87.
- Fürst, C.J. & Doyle, D (2004). The terminal phase. In D. Doyle, G. Hanks, N.I. Cherny & K. Calman (Eds.), *Oxford textbook of palliative medicine* (3<sup>rd</sup> ed., pp. 1117-1133). New York, NY: Oxford University Press.
- Ganzini, L., Goy, E.R., Miller, L.L., Harvath, T.A., Jackson, A., & Delorit, M.A. (2003). Nurses' experiences with hospice patients who refuse food and fluids to hasten death. *New England Journal of Medicine*, 349(4), 359-365.
- Golf, M., Paice, J.A., Feulner, E., O'Leary, C., Marcotte, S., & Mulcahy, M. (2004). Refractory status epilepticus. *Journal of Palliative Medicine*, 7(1), 85-88.
- Hallberg, I.R. (2004). Death and dying from old people's point of view. A literature review. *Aging-Clinical & Experimental Research*. 16(2), 87-103.

- Hanks-Bell, M., Paice, J., & Krammer, L. (2002). The use of midazolam hydrochloride continuous infusions in palliative care. *Clinical Journal of Oncology Nursing*, 6(6), 367-369.
- Heyland, D.K., Frank, C., Groll, D., Pichora, D., Dodek, P., Rocker, G., & Gafni, A. (2006). Understanding cardiopulmonary resuscitation decision making: Perspectives of seriously ill hospitalized patients and family members. *Chest*, 130(2), 419-428.
- Hospice and Palliative Nurses Association (HPNA) Position Paper (2003a). Artificial nutrition and hydration in end-of-life care. *Journal of Hospice and Palliative Nursing*, 5(4), 231-234.
- Hospice and Palliative Nurses Association (HPNA) Position Paper (2003b). Palliative sedation at the end of life. *Journal of Hospice and Palliative Nursing*, 5(4), 235-237.
- Huang, Z.B., & Ahronheim, J.C. (2000). Nutrition and hydration in terminally ill patients: An update. *Clinics in Geriatric Medicine*, 16(2), 313-325.
- Jacobi, J., Fraser, G. L., Coursin, D. B., Riker, R. R., Fontaine, D., Wittbrodt, E. D., et al. (2002). Clinical practice guidelines for the sustained use of sedatives and analgesics in the critically ill adult. *Critical Care Medicine*, 30(1), 119-141.
- Johnston-Taylor, E. (2006). Spiritual Assessment. In B.R. Ferrell, & N. Coyle (Eds.), *Textbook of palliative nursing* (2<sup>nd</sup> ed., pp. 581-592). New York, NY: Oxford University Press.
- Kehl, K.A. (2004). Treatment of terminal restlessness: A review of the evidence. *Journal of Pain and Palliative Care Pharmacotherapy*, 18(1); 5-30.
- Lipson, J.G., & Dibble, S.L. (2005). *Culture & clinical care*. San Francisco, CA: UCSF Nursing Press.
- Liu, L., & Gropper, M. (2003). Postoperative analgesia and sedation in the adult intensive care unit. *Drugs*, 63(8), 756-767.
- Lunney, J.R., Lynn, J., Foley, D.J. Lipson, S., & Guralnik, J.M. (2003). Patterns of functional decline at the end of life. *Journal of the American Medical Association*, 289(18), 1387-2392.
- Matzo, M.L. (2006). Peri-death nursing care. In Matzo, M.L. & Sherman, D.W. (Eds.), *Palliative care nursing: Quality care to the end of life* (2<sup>nd</sup> ed., pp. 443-469). New York, NY: Springer Publishing Company.
- O’Gorman, M.L. (2002). Spiritual care at the end of life. *Critical Care Nursing Clinics of North America*, 14(2), 171-176.

- Plonk, W.M., Jr, Arnold, R.M. (2005). Terminal care: The last weeks of life. *Journal of Palliative Medicine*, 8(5), 1042-1054.
- Prendergast, T.J. (2000). Withholding or withdrawal of life-sustaining therapy. *Hospital Practice* (Office Edition), 35(6), 91-92, 95-100, 102.
- Quigley, C., Joel, S., Patel, N., Baksh, A., & Slevin, M. (2003). Plasma concentrations of morphine, morphine-6-glucuronide and morphine-3-glucuronide and their relationship with analgesia and side effects in patients with cancer-related pain. *Palliative Medicine*, 17(2), 185-190.
- Rousseau, P. (2002). Management symptoms in the actively dying patient. In A. M. Berger, R. K. Portenoy, & D. E. Weissman (Eds.), *Principles and practice of supportive oncology* (2<sup>nd</sup> ed., pp. 789-798). Philadelphia, PA: Lippincott-Raven Publishers.
- Rousseau, P. (2004). Palliative sedation in the management of refractory symptoms. *Journal of Supportive Oncology*, 2(2), 181-186.
- Smith, M.T. (2000). Neuroexcitatory effects of morphine and hydromorphone: Evidence implicating the 3-glucuronide metabolites. *Clinical and Experimental Pharmacology and Physiology*, 27(7), 524-528.
- Sykes N., & Thorns, A. (2003a). The use of opioids and sedatives at the end of life. *Lancet Oncology*, 4(5), 312-318.
- Sykes, N., & Thorns, A. (2003b). Sedative use in the last week of life and the implications for end-of-life decision making. [Case Reports] *Archives of Internal Medicine*, 163(3), 341-344.
- Thwaites, D., McCann, S., Broderick, P. (2004) Hydromorphone neuroexcitation. *Journal of Palliative Medicine*, 7(4), 545-550.
- Truog, R.D., Cist, A.F., Brackett, S.E., Burns, J.P., Curley, M.A., Danis, M., et al. (2001). Recommendations for end-of-life care in the intensive care unit: The Ethics Committee of the Society of Critical Care Medicine. *Critical Care Medicine*, 29(12), 2332-2348.
- Tsai, E. (2002). Should family members be present during cardiopulmonary resuscitation? *New England Journal of Medicine*, 346(13), 1019-1021.
- Wallace, K., Ewer, M.D., Price, K.J., & Feeley, T.W. (2002). Outcome and cost implications of cardiopulmonary resuscitation in the medical intensive care unit of a comprehensive cancer center. *Supportive Care in Cancer*, 10(5), 425-429.

**Cross Reference with ELNEC Course Texts for Module 8:**

Ferrell, B.R., & Coyle, N. (Eds.). (2006). *Textbook of palliative nursing* (2<sup>nd</sup> ed.). New York, NY: Oxford University Press.

<u>Chapter</u>	<u>Author</u>	<u>Title</u>
12	Kedziera	Hydration, Thirst, and Nutrition
13	Dudgeon	Dyspnea, Death Rattle, and Cough
20	Kuebler, English, Vena & Heidrich	Delirium, Confusion, and Agitation
27	Corless	Bereavement
28	Davies	Supporting Families in Palliative Care
29	Berry & Griffie	Planning for the Actual Death
31	Kemp	Spiritual Care Interventions
39	Bookbinder	Improving the Quality of Care Across All Settings
40	Wilson	Long Term Care
41	Milone-Nuzzo & McCorkle	Home Care
42	Bakitas & Darentany	Hospital-Based Palliative Care
43	Puntillo & Stannard	The Intensive Care Unit
44	DuPen & Robison	The Outpatient Setting
45	Michael	Rehabilitation and Palliative Care
46	Campbell & Zalenski	The Emergency Department